

SAFETY DATA SHEET

Creation Date 29-May-2012 Revision Date 15-Oct-2019 Revision Number 4

1. Identification

Product Name Dimethyl maleate

Cat No.: AC218460000; AC218460010; AC218460050; AC218460051;

AC218462500

CAS-No 624-48-6

Synonyms Maleic acid,dimethyl ester; Methyl Maleate.

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

Harmful if swallowed
May cause an allergic skin reaction
Causes serious eye irritation
May cause respiratory irritation
May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Contaminated work clothing should not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Response

Get medical attention/advice if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

Ckin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, i

Skin ContactWash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest

pain, muscle pain or flushing

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point 95 °C / 203 °F

Method - No information available

Autoignition Temperature 390 °C / 734 °F

Explosion Limits

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Combustible material.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

8. Exposure controls / personal protection

Exposure Guidelines

Physical State

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

9. Physical and chemical properties

4 mPa.s

Appearance Odor **Odor Threshold** pН Melting Point/Range **Boiling Point/Range Flash Point Evaporation Rate** Flammability (solid,gas) Flammability or explosive limits Upper Lower **Vapor Pressure Vapor Density Specific Gravity** Solubility Partition coefficient; n-octanol/water

Autoignition Temperature

Viscosity

Decomposition Temperature

Liquid Colorless No information available No information available No information available -17.5 °C / 0.5 °F 204 - 205 °C / 399.2 - 401 °F @ 760 mmHg 95 °C / 203 °F No information available Not applicable No data available No data available 0.28 hPa (20°C) 4.97 1.150 Soluble in water No data available 390 °C / 734 °F No information available

Revision Date 15-Oct-2019 Dimethyl maleate

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information Component Information

> Component LD50 Oral LD50 Dermal LC50 Inhalation Dimethyl maleate LD50 = 1410 mg/kg (Rat)LD50 >2000 mg/kg (Rat) Not listed

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes and respiratory system

May cause sensitization by skin contact Sensitization

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component CAS-No IARC NTP ACGIH **OSHA** Mexico Dimethyl maleate 624-48-6 Not listed Not listed Not listed Not listed Not listed

Mutagenic Effects No information available

Reproductive Effects No information available.

No information available. **Developmental Effects**

Teratogenicity No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure Stomach

No information available **Aspiration hazard**

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information	
Not regulated	

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

15. Regulatory information

United States of America Inventory

Dimethyl maleate Revision Date