

# **SAFETY DATA SHEET**

Creation Date 30-Apr-2010 Revision Date 19-Jan-2018 Revision Number 3

1. Identification

Product Name Fehling A solution

Cat No.: AC270800000; AC270800010; AC270800025

Synonyms No information available

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

#### Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

None required

Hazards not otherwise classified (HNOC)

 Water
 7732-18-5
 93-96

 Cupric sulfate
 7758-98-7
 4-7

#### 4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point No information available No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Do not allow run-off from fire-fighting to enter drains or water courses.

### **Hazardous Combustion Products**

Sulfur oxides. Copper oxides.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

6antaccidend70 0 Td(e) Tj 100 s q .20807 130 0 Td(a) Tj 100 s

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Handling

Keep containers tightly closed in a dry, cool and well-ventilated place. Storage

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

'p

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Finely powdered metals

Hazardous Decomposition Products Sulfur oxides, Co

This product contains a chemical which is listed as a severe marine pollutant according to DOT

### **Ecotoxicity**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do not allow material to contaminate ground water system. The product contains following substances which are hazardous for the environment.

ComponentFreshwater AlgaeFreshwater FishMicrotoxWater FleaCupric sulfateNot listedLC50: = 0.1 mg/L, 96h<br/>(Oncorhynchus mykiss)Not listedEC50 = 0.024 mg/L/48h

Persistence and Degradability May persist based on information available.

**Bioaccumulation/ Accumulation** No information available.

Mobility . Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods Should not be released into the environment. Dispose of in accordance with local

regulations.

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

DSL NDSL **EINECS** PICCS **ENCS** AICS IECSC **KECL** Component CAS-No Water 7732-18-5 Χ 231-791-2 Χ Χ Χ Χ KE-35400