

# SAFETY DATA SHEET

Creation Date 06-Nov-2009	Revision Date 03-Jul-2014	<b>Revision Number</b> 1
	1. Identification	
Product Name	Petroleum ether, boiling range 40-60°C	
Cat No. :	AC180210000; AC180210010; AC180210025; AC180210025; AC180210250	AC180210050;
Synonyms	Ligroine	
Recommended Use	Laboratory chemicals.	
Uses advised against Details of the supplier of the safet	No Information available y data sheet	

# 2. Hazard(s) identification

<u>Classification</u> This chemical is considered hazardous by the 2012 OSHA Hazard Communication St



Precautionary Statements Prevention Ingestion

Aspiration hazard. Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms/effects

# 11. Toxicological information

### Acute Toxicity

Product Information	
Oral LD50	Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.
Dermal LD50	Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.
Vapor LC50	Based on ATE data, the classification criteria are not met. ATE $>$ 20 mg/l.
Component Information	
Toxicologically Synergistic	No information available
Products	
Delayed and immediate effects as	well as chronic effects from short and long-term exposure
	• •
Delayed and immediate effects as Irritation	well as chronic effects from short and long-term exposure Irritating to eyes and skin
Irritation	Irritating to eyes and skin
	• •

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Hydrocarbons, C6, isoalkanes < 5% n-hexane (Iso-Hexane)	64742-49-0	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ailable			
Reproductive Effects	S	No information ava	ilable.			
Developmental Effect	cts	No information ava	ailable.			
Teratogenicity		No information ava	ilable.			
STOT - single expos STOT - repeated exp		Central nervous sy None known	vstem (CNS)			
Aspiration hazard		Category 1				
Symptoms / effects delayed	both acute and,	d Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Symptoms of overexposure may be headache, dizzines tiredness, nausea and vomiting				
Endocrine Disruptor	Information	No information ava	ailable			
Other Adverse Effec	ts	See actual entry in	RTECS for comp	lete information.		

## 12. Ecological information

**Ecotoxicity** The product contains following substances which are hazardous for the environment.

<b>Component</b> Hydrocarbons, C6, isoalkanes < 5% n-hexane	Freshwater Algae Not listed	Freshwater Fish Not listed	Microtox Not listed	<b>Water Flea</b> 2.6 mg/L LC50 = 96 h		
(Iso-Hexane) Persistence and Degrada	bility Persistence is	Persistence is unlikely based on information available.				
Bioaccumulation/ Accum	ulation No informatio	n available.				
Mobility	Will likely be r	mobile in the environment o	lue to its volatility.			
	13. Dis	sposal considera	tions			
Waste Disposal Methods	hazardous wa	ste generators must determ aste. Chemical waste gene rdous waste regulations to	rators must also consu			
	14. T	ransport informa	tion			

DOT

## **CERCLA** Not applicable

California Proposition 65	This product does not contain any Proposition 65 chemicals	
State Right-to-Know	Not applicable	
U.S. Department of Transportation		
Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N	
U.S. Department of Homeland Security This product does not contain any DHS chemicals.		
Other International Regulations		

Mexico - Grade

Severe risk, Grade 4

Canada